


## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské - profil H 36




Podle ISO 3410

Označení řemene	Šířka řemene <b>b</b> (mm)	Výška řemene <b>h</b> (mm)	Úhel klínu <b>α</b> (°)	Vnitřní délka <b>Li</b> (mm)	Výpočtová délka <b>Lw</b> (mm)	Vnější délka <b>La</b> (mm)
<b>H36 1200</b>	36	14	28	1134	<b>1200</b>	1222
<b>H36 1206</b>	36	14	28	1140	<b>1206</b>	1228
<b>H36 1220</b>	36	14	28	1154	<b>1220</b>	1242
<b>H36 1250</b>	36	14	28	1184	<b>1250</b>	1272
<b>H36 1280</b>	36	14	28	1214	<b>1280</b>	1302
<b>H36 1320</b>	36	14	28	1254	<b>1320</b>	1342
<b>H36 1360</b>	36	14	28	1294	<b>1360</b>	1382
<b>H36 1400</b>	36	14	28	1334	<b>1400</b>	1422
<b>H36 1450</b>	36	14	28	1384	<b>1450</b>	1472
<b>H36 1500</b>	36	14	28	1434	<b>1500</b>	1522
<b>H36 1600</b>	36	14	28	1534	<b>1600</b>	1622
<b>H36 1650</b>	36	14	28	1584	<b>1650</b>	1672
<b>H36 1660</b>	36	14	28	1594	<b>1660</b>	1682
<b>H36 1700</b>	36	14	28	1634	<b>1700</b>	1722
<b>H36 1750</b>	36	14	28	1684	<b>1750</b>	1772
<b>H36 1786</b>	36	14	28	1720	<b>1786</b>	1808
<b>H36 1800</b>	36	14	28	1734	<b>1800</b>	1822
<b>H36 1850</b>	36	14	28	1784	<b>1850</b>	1872
<b>H36 1900</b>	36	14	28	1834	<b>1900</b>	1922
<b>H36 1950</b>	36	14	28	1884	<b>1950</b>	1972
<b>H36 2000</b>	36	14	28	1934	<b>2000</b>	2022
<b>H36 2060</b>	36	14	28	1994	<b>2060</b>	2082
<b>H36 2120</b>	36	14	28	2054	<b>2120</b>	2142
<b>H36 2180</b>	36	14	28	2114	<b>2180</b>	2202
<b>H36 2240</b>	36	14	28	2174	<b>2240</b>	2262

## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské - profil 45 x 20




Podle ISO 3410

Označení řemene	Šířka řemene <b>b</b> (mm)	Výška řemene <b>h</b> (mm)	Úhel klínu <b>α</b> (°)	Vnitřní délka <b>Li</b> (mm)	Výpočtová délka <b>Lw</b> (mm)	Vnější délka <b>La</b> (mm)
<b>45 x 20 x 2240</b>	45	20	40	<b>2240</b>	2323	2365
<b>45 x 20 x 2300</b>	45	20	40	<b>2300</b>	2383	2425
<b>45 x 20 x 2360</b>	45	20	40	<b>2360</b>	2443	2485
<b>45 x 20 x 2430</b>	45	20	40	<b>2430</b>	2513	2555
<b>45 x 20 x 2500</b>	45	20	40	<b>2500</b>	2583	2625
<b>45 x 20 x 2515</b>	45	20	40	<b>2515</b>	2598	2640
<b>45 x 20 x 2580</b>	45	20	40	<b>2580</b>	2663	2705
<b>45 x 20 x 2600</b>	45	20	40	<b>2600</b>	2683	2725
<b>45 x 20 x 2650</b>	45	20	40	<b>2650</b>	2733	2775
<b>45 x 20 x 2720</b>	45	20	40	<b>2720</b>	2803	2845
<b>45 x 20 x 2800</b>	45	20	40	<b>2800</b>	2883	2925
<b>45 x 20 x 2900</b>	45	20	40	<b>2900</b>	2983	3025
<b>45 x 20 x 3000</b>	45	20	40	<b>3000</b>	3083	3125
<b>45 x 20 x 3040</b>	45	20	40	<b>3040</b>	3123	3165
<b>45 x 20 x 3070</b>	45	20	40	<b>3070</b>	3153	3195
<b>45 x 20 x 3150</b>	45	20	40	<b>3150</b>	3233	3275
<b>45 x 20 x 3250</b>	45	20	40	<b>3250</b>	3333	3375
<b>45 x 20 x 3350</b>	45	20	40	<b>3350</b>	3433	3475
<b>45 x 20 x 3450</b>	45	20	40	<b>3450</b>	3533	3575
<b>45 x 20 x 3550</b>	45	20	40	<b>3550</b>	3633	3675
<b>45 x 20 x 3650</b>	45	20	40	<b>3650</b>	3733	3775
<b>45 x 20 x 3750</b>	45	20	40	<b>3750</b>	3833	3875
<b>45 x 20 x 3870</b>	45	20	40	<b>3870</b>	3953	3995
<b>45 x 20 x 4000</b>	45	20	40	<b>4000</b>	4083	4125
<b>45 x 20 x 4500</b>	45	20	40	<b>4500</b>	4583	4625
<b>45 x 20 x 6000</b>	45	20	40	<b>6000</b>	6083	6125

## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské - profil 50 x 22




Podle ISO 3410

Označení řemene	Šířka řemene b (mm)	Výška řemene h (mm)	Úhel klínu α (°)	Vnitřní délka Li (mm)	Výpočtová délka Lw (mm)	Vnější délka La (mm)
<b>50 x 22 x 2150</b>	50	22	40	<b>2150</b>	2240	2288
<b>50 x 22 x 2240</b>	50	22	40	<b>2240</b>	2330	2378
<b>50 x 22 x 2300</b>	50	22	40	<b>2300</b>	2390	2438
<b>50 x 22 x 2360</b>	50	22	40	<b>2360</b>	2450	2498
<b>50 x 22 x 2430</b>	50	22	40	<b>2430</b>	2520	2568
<b>50 x 22 x 2500</b>	50	22	40	<b>2500</b>	2590	2638
<b>50 x 22 x 2580</b>	50	22	40	<b>2580</b>	2670	2718
<b>50 x 22 x 2650</b>	50	22	40	<b>2650</b>	2740	2788
<b>50 x 22 x 2720</b>	50	22	40	<b>2720</b>	2810	2858
<b>50 x 22 x 2800</b>	50	22	40	<b>2800</b>	2890	2938
<b>50 x 22 x 2830</b>	50	22	40	<b>2830</b>	2920	2968
<b>50 x 22 x 2850</b>	50	22	40	<b>2850</b>	2940	2988
<b>50 x 22 x 2900</b>	50	22	40	<b>2900</b>	2990	3038
<b>50 x 22 x 3000</b>	50	22	40	<b>3000</b>	3090	3138
<b>50 x 22 x 3070</b>	50	22	40	<b>3070</b>	3160	3208
<b>50 x 22 x 3150</b>	50	22	40	<b>3150</b>	3240	3288
<b>50 x 22 x 3250</b>	50	22	40	<b>3250</b>	3340	3388
<b>50 x 22 x 3350</b>	50	22	40	<b>3350</b>	3440	3488
<b>50 x 22 x 3450</b>	50	22	40	<b>3450</b>	3540	3588
<b>50 x 22 x 3550</b>	50	22	40	<b>3550</b>	3640	3688
<b>50 x 22 x 3650</b>	50	22	40	<b>3650</b>	3740	3788
<b>50 x 22 x 3750</b>	50	22	40	<b>3750</b>	3840	3888
<b>50 x 22 x 3870</b>	50	22	40	<b>3870</b>	3960	4008
<b>50 x 22 x 3950</b>	50	22	40	<b>3950</b>	4040	4088
<b>50 x 22 x 4000</b>	50	22	40	<b>4000</b>	4090	4138
<b>50 x 22 x 4120</b>	50	22	40	<b>4120</b>	4210	4258
<b>50 x 22 x 4250</b>	50	22	40	<b>4250</b>	4340	4388
<b>50 x 22 x 4370</b>	50	22	40	<b>4370</b>	4460	4508
<b>50 x 22 x 4500</b>	50	22	40	<b>4500</b>	4590	4638
<b>50 x 22 x 4620</b>	50	22	40	<b>4620</b>	4710	4758
<b>50 x 22 x 4750</b>	50	22	40	<b>4750</b>	4840	4888
<b>50 x 22 x 4870</b>	50	22	40	<b>4870</b>	4960	5008
<b>50 x 22 x 5000</b>	50	22	40	<b>5000</b>	5090	5138

## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské - profil HL




Podle ISO 3410

Označení řemene	Šířka řemene <b>b</b> (mm)	Výška řemene <b>h</b> (mm)	Úhel klínu <b>α</b> (°)	Vnitřní délka <b>Li</b> (mm)	Výpočtová délka <b>Lw</b> (mm)	Vnější délka <b>La</b> (mm)
<b>HL 2323</b>	45	20	28	2240	<b>2323</b>	2365
<b>HL 2383</b>	45	20	28	2300	<b>2383</b>	2425
<b>HL 2443</b>	45	20	28	2360	<b>2443</b>	2485
<b>HL 2513</b>	45	20	28	2430	<b>2513</b>	2555
<b>HL 2583</b>	45	20	28	2500	<b>2583</b>	2625
<b>HL 2663</b>	45	20	28	2580	<b>2663</b>	2705
<b>HL 2733</b>	45	20	28	2650	<b>2733</b>	2775
<b>HL 2803</b>	45	20	28	2720	<b>2803</b>	2845
<b>HL 2883</b>	45	20	28	2800	<b>2883</b>	2925
<b>HL 2983</b>	45	20	28	2900	<b>2983</b>	3025
<b>HL 3083</b>	45	20	28	3000	<b>3083</b>	3125
<b>HL 3153</b>	45	20	28	3070	<b>3153</b>	3195
<b>HL 3203</b>	45	20	28	3120	<b>3203</b>	3245
<b>HL 3233</b>	45	20	28	3150	<b>3233</b>	3275
<b>HL 3283</b>	45	20	28	3200	<b>3283</b>	3325
<b>HL 3333</b>	45	20	28	3250	<b>3333</b>	3375

## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské - profil HM




Podle ISO 3410

Označení řemene	Šířka řemene b (mm)	Výška řemene h (mm)	Úhel klínu α (°)	Vnitřní délka Li (mm)	Výpočtová délka Lw (mm)	Vnější délka La (mm)
<b>HM 2220</b>	50	22	28	2130	<b>2220</b>	2268
<b>HM 2240</b>	50	22	28	2150	<b>2240</b>	2288
<b>HM 2260</b>	50	22	28	2170	<b>2260</b>	2308
<b>HM 2390</b>	50	22	28	2300	<b>2390</b>	2438
<b>HM 2450</b>	50	22	28	2360	<b>2450</b>	2498
<b>HM 2520</b>	50	22	28	2430	<b>2520</b>	2568
<b>HM 2590</b>	50	22	28	2500	<b>2590</b>	2638
<b>HM 2610</b>	50	22	28	2520	<b>2610</b>	2658
<b>HM 2670</b>	50	22	28	2580	<b>2670</b>	2718
<b>HM 2740</b>	50	22	28	2650	<b>2740</b>	2788
<b>HM 2810</b>	50	22	28	2720	<b>2810</b>	2858
<b>HM 2890</b>	50	22	28	2800	<b>2890</b>	2938
<b>HM 2911</b>	50	22	28	2821	<b>2911</b>	2959
<b>HM 2940</b>	50	22	28	2850	<b>2940</b>	2988
<b>HM 2960</b>	50	22	28	2870	<b>2960</b>	3008
<b>HM 2990</b>	50	22	28	2900	<b>2990</b>	3038
<b>HM 3090</b>	50	22	28	3000	<b>3090</b>	3138
<b>HM 3160</b>	50	22	28	3070	<b>3160</b>	3208
<b>HM 3240</b>	50	22	28	3150	<b>3240</b>	3288
<b>HM 3340</b>	50	22	28	3250	<b>3340</b>	3388
<b>HM 3440</b>	50	22	28	3350	<b>3440</b>	3488
<b>HM 3540</b>	50	22	28	3450	<b>3540</b>	3588
<b>HM 3640</b>	50	22	28	3550	<b>3640</b>	3688
<b>HM 3740</b>	50	22	28	3650	<b>3740</b>	3788
<b>HM 3760</b>	50	22	28	3670	<b>3760</b>	3808
<b>HM 3840</b>	50	22	28	3750	<b>3840</b>	3888
<b>HM 3960</b>	50	22	28	3870	<b>3960</b>	4008
<b>HM 4040</b>	50	22	28	3950	<b>4040</b>	4088

## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské - profil HM




Podle ISO 3410

Označení řemene	Šířka řemene <b>b</b> (mm)	Výška řemene <b>h</b> (mm)	Úhel klínu <b>α</b> (°)	Vnitřní délka <b>Li</b> (mm)	Výpočtová délka <b>Lw</b> (mm)	Vnější délka <b>La</b> (mm)
<b>HM 4090</b>	50	22	28	4000	<b>4090</b>	4138
<b>HM 4210</b>	50	22	28	4120	<b>4210</b>	4258
<b>HM 4340</b>	50	22	28	4250	<b>4340</b>	4388
<b>HM 4460</b>	50	22	28	4370	<b>4460</b>	4508
<b>HM 4590</b>	50	22	28	4500	<b>4590</b>	4638
<b>HM 4710</b>	50	22	28	4620	<b>4710</b>	4758
<b>HM 4840</b>	50	22	28	4750	<b>4840</b>	4888
<b>HM 4960</b>	50	22	28	4870	<b>4960</b>	5008
<b>HM 5090</b>	50	22	28	5000	<b>5090</b>	5138

## Variátorové řemeny - speciální

### Řemeny variátorové - zemědělské, řezané

- profil HH agro super
- profil HL agro super
- profil HM agro super



Podle ISO 3410

Označení řemene	Šířka řemene <b>b</b> (mm)	Výška řemene <b>h</b> (mm)	Úhel klínu <b>α</b> (°)	Vnitřní délka <b>Li</b> (mm)	Výpočtová délka <b>Lw</b> (mm)	Vnější délka <b>La</b> (mm)
<b>HH 1150</b>	20	10	28	1106	<b>1150</b>	1211
<b>HL 1713</b>	45	20	28	1630	<b>1713</b>	1838
<b>HL 1769</b>	45	20	28	1686	<b>1769</b>	1894
<b>HL 2050</b>	45	20	28	1967	<b>2050</b>	2175
<b>HL 2134</b>	45	20	28	2044	<b>2134</b>	2182
<b>HM 2132</b>	50	22	28	2042	<b>2132</b>	2270

Další nestandardní variátorové řemeny - formou poptávky